

January-janvier

February-février

March-mars

Table with columns for Day, Time, Feet, Metres, jour, heure, pieds, mètres. It contains tide data for three months: January, February, and March. Each day's data includes the time of high and low tide and the corresponding water level in feet and metres.

April-avril

May-mai

June-juin

Day	Time	Feet	Metres	jour	heure	pieds	mètres	Day	Time	Feet	Metres	jour	heure	pieds	mètres	Day	Time	Feet	Metres	jour	heure	pieds	mètres
1	0442	1.3	0.4	16	0445	2.0	0.6	1	0521	1.6	0.5	16	0457	2.3	0.7	1	0721	1.6	0.5	16	0612	2.0	0.6
MO	0930	17.7	5.4		0951	14.8	4.5		1018	17.1	5.2		1003	14.4	4.4		1218	14.8	4.5		1112	14.1	4.3
LU	1736	1.0	0.3	TU	1733	2.0	0.6	WE	1824	1.3	0.4	TH	1751	1.6	0.5	SA	2000	1.3	0.4	SU	1851	1.3	0.4
	2209	14.1	4.3	MA	2224	12.1	3.7	ME	2303	13.8	4.2	JE	2245	12.5	3.8	SA				DI	2354	13.8	4.2
2	0530	1.3	0.4	17	0521	2.6	0.8	2	0624	2.0	0.6	17	0542	2.6	0.8	2	0106	14.8	4.5	17	0715	2.0	0.6
	1030	16.7	5.1		1039	13.8	4.2		1127	15.7	4.8		1054	13.8	4.2		0836	1.6	0.5		1212	13.5	4.1
TU	1833	1.3	0.4	WE	1821	2.3	0.7	TH	1927	1.3	0.4	FR	1839	2.0	0.6	SU	1330	13.8	4.2	MO	1942	1.6	0.5
MA	2312	13.5	4.1	ME	2318	11.5	3.5	JE				VE	2342	12.1	3.7	DI	2100	1.3	0.4	LU			
3	0630	2.0	0.6	18	0609	3.3	1.0	3	0018	13.8	4.2	18	0642	2.6	0.8	3	0212	15.1	4.6	18	0051	14.1	4.3
	1142	15.7	4.8		1136	13.1	4.0		0739	2.0	0.6		1151	13.5	4.1		0945	1.6	0.5		0827	2.0	0.6
WE	1942	1.6	0.5	TH	1921	2.6	0.8	FR	1242	14.8	4.5	SA	1933	2.0	0.6	MO	1439	13.5	4.1	TU	1318	13.1	4.0
ME				JE				VE	2033	1.6	0.5	SA				LU	2200	1.6	0.5	MA	2045	1.6	0.5
4	0030	12.8	3.9	19	0027	11.2	3.4	4	0136	14.1	4.3	19	0045	12.5	3.8	4	0312	15.4	4.7	19	0154	15.1	4.6
	0748	2.0	0.6		0718	3.3	1.0		0900	2.0	0.6		0754	2.6	0.8		1051	1.3	0.4		0939	1.6	0.5
TH	1257	15.1	4.6	FR	1242	13.1	4.0	SA	1400	14.4	4.4	SU	1300	13.1	4.0	TU	1545	13.5	4.1	WE	1424	13.1	4.0
JE	2057	1.6	0.5	VE	2030	2.6	0.8	SA	2139	1.6	0.5	DI	2036	2.0	0.6	MA	2257	1.6	0.5	ME	2145	1.3	0.4
5	0154	13.1	4.0	20	0142	11.8	3.6	5	0242	14.8	4.5	20	0148	13.5	4.1	5	0403	15.7	4.8	20	0251	16.1	4.9
	0912	1.6	0.5		0842	3.0	0.9		1015	1.6	0.5		0909	2.0	0.6		1148	1.3	0.4		1048	1.0	0.3
FR	1418	15.1	4.6	SA	1354	13.1	4.0	SU	1509	14.4	4.4	MO	1406	13.5	4.1	WE	1636	13.8	4.2	TH	1530	13.8	4.2
VE	2209	1.3	0.4	SA	2136	2.3	0.7	DI	2239	1.3	0.4	LU	2136	1.6	0.5	ME	2348	1.6	0.5	JE	2248	1.0	0.3
6	0306	14.1	4.3	21	0245	12.8	3.9	6	0339	15.4	4.7	21	0242	14.4	4.4	6	0448	16.1	4.9	21	0348	17.4	5.3
	1030	1.3	0.4		0954	2.3	0.7		1118	1.3	0.4		1018	1.6	0.5		1239	1.0	0.3		1151	1.0	0.3
SA	1527	15.4	4.7	SU	1457	14.1	4.3	MO	1609	14.8	4.5	TU	1506	13.8	4.2	TH	1724	13.8	4.2	FR	1624	14.4	4.4
SA	2309	1.3	0.4	DI	2233	2.0	0.6	LU	2333	1.3	0.4	MA	2233	1.3	0.4	JE				VE	2348	1.0	0.3
7	0400	15.1	4.6	22	0330	14.1	4.3	7	0427	16.1	4.9	22	0330	15.7	4.8	7	0030	1.3	0.4	22	0442	18.4	5.6
	1133	1.3	0.4		1057	1.6	0.5		1212	1.0	0.3		1121	1.0	0.3		0530	16.1	4.9		1251	0.7	0.2
SU	1627	15.7	4.8	MO	1551	14.8	4.5	TU	1657	14.8	4.5	WE	1600	14.4	4.4	FR	1321	1.0	0.3	SA	1718	15.1	4.6
DI				LU	2324	1.6	0.5	MA				ME	2327	1.3	0.4	VE	1803	13.8	4.2	SA			
8	0003	1.3	0.4	23	0412	15.4	4.7	8	0018	1.3	0.4	23	0418	17.1	5.2	8	0109	1.3	0.4	23	0045	0.7	0.2
	0448	16.1	4.9		1154	1.3	0.4		0509	16.4	5.0		1218	1.0	0.3		0606	16.4	5.0		0533	19.4	5.9
MO	1230	1.0	0.3	TU	1636	15.4	4.7	WE	1300	1.0	0.3	TH	1648	15.1	4.6	SA	1400	1.0	0.3	SU	1345	0.7	0.2
LU	1712	16.1	4.9	MA				ME	1739	15.1	4.6	JE				SA	1839	13.8	4.2	DI	1809	15.7	4.8
9	0048	1.3	0.4	24	0009	1.3	0.4	9	0100	1.3	0.4	24	0018	1.0	0.3	9	0145	1.3	0.4	24	0139	0.7	0.2
	0530	16.7	5.1		0451	16.7	5.1		0548	16.7	5.1		0503	18.4	5.6		0642	16.7	5.1		0624	20.0	6.1
TU	1315	0.7	0.2	WE	1245	1.0	0.3	TH	1342	1.0	0.3	FR	1309	0.7	0.2	SU	1436	1.0	0.3	MO	1436	0.7	0.2
MA	1757	16.4	5.0	ME	1715	16.1	4.9	JE	1815	15.1	4.6	VE	1733	15.7	4.8	DI	1912	13.8	4.2	LU	1857	16.4	5.0
10	0127	1.0	0.3	25	0054	1.3	0.4	10	0136	1.3	0.4	25	0106	0.7	0.2	10	0218	1.3	0.4	25	0230	0.7	0.2
	0609	17.1	5.2		0530	18.0	5.5		0624	16.7	5.1		0548	19.4	5.9		0715	16.7	5.1		0712	20.0	6.1
WE	1400	0.7	0.2	TH	1333	1.0	0.3	FR	1418	1.0	0.3	SA	1400	0.7	0.2	MO	1509	1.0	0.3	TU	1524	0.7	0.2
ME	1836	16.1	4.9	JE	1754	16.4	5.0	VE	1851	14.8	4.5	SA	1818	16.1	4.9	LU	1945	13.8	4.2	MA	1948	16.4	5.0
11	0206	1.0	0.3	26	0136	1.0	0.3	11	0212	1.3	0.4	26	0154	0.7	0.2	11	0254	1.3	0.4	26	0321	0.7	0.2
	0645	17.1	5.2		0609	18.7	5.7		0700	16.7	5.1		0633	19.7	6.0		0748	16.4	5.0		0803	19.7	6.0
TH	1436	0.7	0.2	FR	1418	1.0	0.3	SA	1454	1.0	0.3	SU	1451	0.7	0.2	TU	1542	1.0	0.3	WE	1612	0.7	0.2
JE	1912	15.7	4.8	VE	1836	16.7	5.1	SA	1927	14.4	4.4	DI	1906	16.1	4.9	MA	2015	13.8	4.2	ME	2039	16.4	5.0
12	0239	1.0	0.3	27	0218	1.0	0.3	12	0242	1.3	0.4	27	0242	0.7	0.2	12	0327	1.3	0.4	27	0409	1.0	0.3
	0721	17.1	5.2		0651	19.4	5.9		0733	16.7	5.1		0721	19.7	6.0		0821	16.1	4.9		0854	18.7	5.7
FR	1515	0.7	0.2	SA	1503	1.0	0.3	SU	1530	1.0	0.3	MO	1539	0.7	0.2	WE	1612	1.0	0.3	TH	1657	0.7	0.2
VE	1948	15.4	4.7	SA	1918	16.4	5.0	DI	2000	14.1	4.3	LU	1957	16.1	4.9	ME	2051	13.8	4.2	JE	2130	16.4	5.0
13	0312	1.3	0.4	28	0300	1.0	0.3	13	0315	1.6	0.5	28	0330	1.0	0.3	13	0403	1.6	0.5	28	0500	1.0	0.3
	0754	16.7	5.1		0736	19.4	5.9		0806	16.4	5.0		0812	19.4	5.9		0854	15.7	4.8		0945	17.7	5.4
SA	1548	1.0	0.3	SU	1551	1.0	0.3	MO	1600	1.0	0.3	TU	1627	0.7	0.2	TH	1645	1.0	0.3	FR	1742	0.7	0.2
SA	2024	14.8	4.5	DI	2006	16.1	4.9	LU	2033	13.8	4.2	MA	2051	15.7	4.8	JE	2130	13.8	4.2	VE	2224	16.1	4.9
14	0342	1.3	0.4	29	0342	1.0	0.3	14	0348	1.6	0.5	29	0421	1.0	0.3	14	0439	1.6	0.5	29	0554	1.3	0.4
	0833	16.1	4.9		0824	19.0	5.8		0842	15.7	4.8		0906	18.4	5.6		0936	15.4	4.7		1042	16.1	4.

July-juillet

August-août

September-septembre

Day Time		Feet Metres		jour heure		pieds mètres		Day Time		Feet Metres		jour heure		pieds mètres		Day Time		Feet Metres		jour heure		pieds mètres									
1	0024	15.1	4.6	16	0645	1.6	0.5	1	0151	14.1	4.3	16	0039	15.7	4.8	1	0321	14.1	4.3	16	0300	16.1	4.9								
MO	0757	2.0	0.6		1133	13.8	4.2		0939	2.3	0.7		0842	1.6	0.5		1109	2.0	0.6		1057	1.3	0.4								
LU	1251	13.5	4.1	TU	1900	1.3	0.4	TH	1439	11.5	3.5	FR	1327	12.5	3.8	SU	1615	12.1	3.7	MO	1548	14.4	4.4	LU	2309	1.0	0.3				
	2012	1.6	0.5	MA				JE	2133	2.6	0.8	VE	2042	1.6	0.5	DI	2300	2.3	0.7												
2	0130	14.8	4.5	17	0006	15.1	4.6	2	0300	14.4	4.4	17	0157	16.1	4.9	2	0418	14.8	4.5	17	0409	16.7	5.1								
	0906	2.0	0.6		0751	1.6	0.5		1048	2.0	0.6		1000	1.3	0.4		1200	1.6	0.5		1157	1.0	0.3								
TU	1403	12.8	3.9	WE	1239	13.1	4.0	FR	1548	11.8	3.6	SA	1448	12.8	3.9	MO	1657	12.8	3.9	TU	1642	15.7	4.8								
MA	2115	2.0	0.6	ME	2000	1.6	0.5	VE	2239	2.6	0.8	SA	2203	1.3	0.4	LU	2351	2.0	0.6	MA											
3	0236	14.8	4.5	18	0109	15.7	4.8	3	0400	14.8	4.5	18	0309	16.7	5.1	3	0500	15.4	4.7	18	0012	1.0	0.3								
	1018	1.6	0.5		0906	1.6	0.5		1148	1.6	0.5		1115	1.0	0.3		1242	1.3	0.4		0503	17.1	5.2								
WE	1515	12.5	3.8	TH	1351	12.8	3.9	SA	1645	12.5	3.8	SU	1557	14.1	4.3	TU	1733	13.8	4.2	WE	1248	1.0	0.3								
ME	2218	2.0	0.6	JE	2109	1.6	0.5	SA	2336	2.3	0.7	DI	2318	1.0	0.3	MA				ME	1727	16.7	5.1								
4	0336	15.1	4.6	19	0218	16.4	5.0	4	0451	15.4	4.7	19	0415	17.4	5.3	4	0036	1.3	0.4	19	0109	0.7	0.2								
	1121	1.6	0.5		1021	1.3	0.4		1236	1.6	0.5		1218	1.0	0.3		0539	16.1	4.9		0551	17.7	5.4								
TH	1618	12.5	3.8	FR	1503	13.1	4.0	SU	1727	13.1	4.0	MO	1657	15.1	4.6	WE	1315	1.3	0.4	TH	1333	0.7	0.2								
JE	2315	2.0	0.6	VE	2221	1.3	0.4	DI				LU				ME	1800	14.8	4.5	JE	1812	17.4	5.3								
5	0427	15.4	4.7	20	0324	17.4	5.3	5	0021	2.0	0.6	20	0021	0.7	0.2	5	0118	1.0	0.3	20	0157	0.7	0.2								
	1215	1.3	0.4		1130	1.0	0.3		0530	16.1	4.9		0512	18.4	5.6		0612	16.7	5.1		0633	17.7	5.4								
FR	1709	12.8	3.9	SA	1609	14.1	4.3	MO	1315	1.3	0.4	TU	1312	0.7	0.2	TH	1348	1.0	0.3	FR	1415	0.7	0.2								
VE				SA	2330	1.0	0.3	LU	1800	13.8	4.2	MA	1745	16.4	5.0	JE	1830	15.7	4.8	VE	1851	18.0	5.5								
6	0003	1.6	0.5	21	0427	18.4	5.6	6	0103	1.6	0.5	21	0118	0.7	0.2	6	0157	1.0	0.3	21	0242	0.7	0.2								
	0512	15.7	4.8		1233	1.0	0.3		0606	16.7	5.1		0603	19.0	5.8		0642	16.7	5.1		0715	17.4	5.3								
SA	1300	1.3	0.4	SU	1703	15.1	4.6	TU	1351	1.3	0.4	WE	1400	0.7	0.2	FR	1421	1.0	0.3	SA	1454	0.7	0.2								
SA	1748	13.1	4.0	DI				MA	1833	14.4	4.4	ME	1830	17.4	5.3	VE	1857	16.4	5.0	SA	1930	18.0	5.5								
7	0045	1.6	0.5	22	0030	0.7	0.2	7	0142	1.3	0.4	22	0209	0.7	0.2	7	0233	0.7	0.2	22	0321	0.7	0.2								
	0551	16.4	5.0		0521	19.0	5.8		0636	17.1	5.2		0648	19.0	5.8		0712	17.1	5.2		0754	17.1	5.2								
SU	1339	1.0	0.3	MO	1330	0.7	0.2	WE	1421	1.0	0.3	TH	1442	0.7	0.2	SA	1454	0.7	0.2	SU	1530	1.0	0.3								
DI	1824	13.5	4.1	LU	1757	16.1	4.9	ME	1900	15.1	4.6	JE	1912	18.0	5.5	SA	1930	17.1	5.2	DI	2009	17.7	5.4								
8	0124	1.3	0.4	23	0127	0.7	0.2	8	0218	1.0	0.3	23	0257	0.7	0.2	8	0312	0.7	0.2	23	0400	0.7	0.2								
	0627	16.7	5.1		0612	19.7	6.0		0706	17.1	5.2		0733	18.7	5.7		0745	16.7	5.1		0833	16.1	4.9								
MO	1415	1.0	0.3	TU	1421	0.7	0.2	TH	1451	1.0	0.3	FR	1521	0.7	0.2	SU	1527	0.7	0.2	MO	1603	1.0	0.3								
LU	1854	13.8	4.2	MA	1845	16.7	5.1	JE	1927	15.4	4.7	VE	1954	18.0	5.5	DI	2003	17.4	5.3	LU	2048	17.4	5.3								
9	0200	1.3	0.4	24	0221	0.7	0.2	9	0254	1.0	0.3	24	0339	0.7	0.2	9	0351	0.7	0.2	24	0439	1.0	0.3								
	0657	16.7	5.1		0700	20.0	6.1		0736	17.1	5.2		0815	18.0	5.5		0821	16.4	5.0		0915	15.1	4.6								
TU	1448	1.0	0.3	WE	1506	0.7	0.2	FR	1524	1.0	0.3	SA	1600	0.7	0.2	MO	1600	0.7	0.2	TU	1636	1.3	0.4								
MA	1924	14.1	4.3	ME	1933	17.4	5.3	VE	1957	16.1	4.9	SA	2036	18.0	5.5	LU	2039	17.4	5.3	MA	2130	16.4	5.0								
10	0236	1.0	0.3	25	0312	0.7	0.2	10	0330	1.0	0.3	25	0421	0.7	0.2	10	0433	0.7	0.2	25	0515	1.3	0.4								
	0727	17.1	5.2		0748	19.7	6.0		0809	17.1	5.2		0857	17.1	5.2		0903	15.7	4.8		1000	13.8	4.2								
WE	1518	1.0	0.3	TH	1551	0.7	0.2	SA	1554	0.7	0.2	SU	1636	0.7	0.2	TU	1636	0.7	0.2	WE	1709	1.6	0.5								
ME	1954	14.4	4.4	JE	2018	17.7	5.4	SA	2030	16.4	5.0	DI	2121	17.4	5.3	MA	2121	17.4	5.3	ME	2215	15.4	4.7								
11	0309	1.0	0.3	26	0357	0.7	0.2	11	0406	1.0	0.3	26	0503	1.0	0.3	11	0518	0.7	0.2	26	0557	2.0	0.6								
	0757	16.7	5.1		0836	18.7	5.7		0842	16.4	5.0		0942	15.7	4.8		0951	14.8	4.5		1048	12.5	3.8								
TH	1551	0.7	0.2	FR	1630	0.7	0.2	SU	1627	0.7	0.2	MO	1712	1.0	0.3	WE	1718	1.0	0.3	TH	1745	2.3	0.7								
JE	2027	14.8	4.5	VE	2103	17.4	5.3	DI	2106	16.4	5.0	LU	2206	16.4	5.0	ME	2212	16.7	5.1	JE	2306	14.1	4.3								
12	0345	1.0	0.3	27	0442	1.0	0.3	12	0448	1.0	0.3	27	0545	1.3	0.4	12	0609	1.0	0.3	27	0645	2.3	0.7								
	0830	16.4	5.0		0924	17.7	5.4		0924	15.7	4.8		1030	14.1	4.3		1045	13.8	4.2		1145	11.5	3.5								
FR	1621	0.7	0.2	SA	1709	0.7	0.2	MO	1703	1.0	0.3	TU	1745	1.6	0.5	TH	1806	1.3	0.4	FR	1833	3.0	0.9								
VE	2100	15.1	4.6	SA	2154	17.1	5.2	LU	2148	16.4	5.0	MA	2257	15.4	4.7	JE	2312	16.1	4.9	VE											
13	0421	1.3	0.4	28	0530	1.3	0.4	13	0530	1.0	0.3	28	0633	2.0	0.6	13	0712	1.3	0.4	28	0006	13.5	4.1								
	0909	16.1	4.9		1012	16.1	4.9		1009	14.8	4.5		1124	12.8	3.9		1154	12.8	3.9		0757	2.6	0.8								
SA	1657	0.7	0.2	SU	1748	1.0	0.3	TU	1742	1.0	0.3	WE	1827	2.3	0.7	FR	1909	2.0	0.6	SA	1303	10.8	3.3								
SA	2139	15.1	4.6	DI	2245	16.1	4.9	MA	2236	16.1	4.9	ME	2351	14.4	4.4	VE				SA	1948	3.6	1.1								
14	0503	1.3	0.4	29	0618	1.6	0.5	14	0624	1.3	0.4	29	0733	2.6	0.8	14	0021	15.7	4.8	29	0118	13.1	4.0								
	0948	15.4	4.7		1106	14.4	4.4		1103	13.8	4.2		1230	11.5	3.5		0827	1.6	0.5		0912	2.6	0.8								
SU	1733	1.0	0.3	MO	1830	1.3	0.4	WE	1827	1.3	0.4	TH	1924	3.0	0.9	SA	1312	12.5	3.8	SU	1427	11.2	3.4								
DI	2221	15.1	4.6	LU	2339	15.4	4.7	ME	2333	15.7	4.8	JE				SA	2030	2.0	0.6												

